



NO.2121491506



## 

## Certification for Safe Transport of Chemical Goods

## 锂电池类货物

样品名称:

锂离子电池組 型号: RRC1120 (额定: 3.6V, 2.35Ah, 8.46Wh)

Sample name:

Rechargeable Battery Pack Li-Ion, model: RRC1120 (Rating:

3.6V, 2.35Ah, 8.46Wh)

委托单位:

RRC power solutions GmbH RRC power solutions GmbH

生产单位:

佐茂股份有限公司 Joules Miles Co., Ltd.



Shanghai Institute of Chemical Industry Testing Co., Ltd





Certification for Safe Transport of Chemical Goods

		Certification for Safe Transpe	of Chemical Goods			
样品名称	中文 Chinese	锂离子电池組 型号: RRC1120 (额定: 3.6V, 2.35Ah, 8.46Wh)  Rechargeable Battery Pack Li-Ion, model: RRC1120 (Rating: 3.6V, 2.35Ah, 8.46Wh)				
Sample name	英文 English					
委托单位 Consignor		RRC power solutions GmbH				
生产单位 Manufacturer		佐茂股份有限公司 Joules Miles Co., Ltd.				
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)				
样品外观 Sample appearance		黑色塑胶外壳 Black Plastics cement shell				
	牛信息 nformation	重量≤30kg。 Weight≤30kg.				
	已池种类 ttery type	型号 Model	容量Capacity /锂含量Li conter	放置方式 nt Placemen	Processing and the second seco	
1 Rechar	里离子单电芯电池 geable Li-ion c cell battery	RRC1120	2.35Ah, 8.46W	h 电池单独发 Battery o		
I DENTIFICATION CO	1. 危险性识别(Hazards identification) 锂离子电池。 Lithium ion battery.  2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.  3. 包装要求(Packaging requirements) 无。 None.  检验日期: Inspection Date: 2020-12-23					
备注 Comment	Imposion Sac			4年	7升敏	

审核 Checker: 走完村

主检 Appraiser: **超楊** 



## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2121491506 Page 2/3

序号	检验结果及其他事项	
No.	Inspection results and other things	
1	本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality manage programme as described in IMDG CODE 2018 EDITION 2.9.4.5.	ement
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812000300670847 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.	
3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell battery and placed in a strong outer packaging.	or
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.	
5	每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说 明965或968第IB部分规定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, painstructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Danger by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model shall be deemed to meet the provisions of this special provision 188.	acking ous Goods
6		
. 7	,	
	-验证码:814434-	
	-验证码:814434-	



NO. 2121491506 Page 3/3

Certification for Safe Transport of Chemical Goods



Model 型号 / 型號 RRC1120 Nominal Voltage 标称电压 / 標稱電壓 3.60Vdc Nominal Capacity 2.35Ah 8.46Wh Max. Charge Voltage 充电限制电压 4.20Vdc

\*\*\*报告结束\*\*\*

